

Our Sustainable Building Materials





SUSTAINABLE BUILDING MATERIALS

...it lasts and lasts and lasts. On paper, building is easy. Real life is a little more complicated but it helps to use quality materials that are durable, easy to work with and available in a variety of shapes and sizes. If they're also weatherproof, rot-free, splinter-free and maintenance-free, it can really pay off in the long-run. HAHN sheets, fences, decking and boards offer an excellent price to quality ratio. In like-for-like comparisons, hanit out-performs wood, steel and concrete. As our Blue Angel Award goes to show, hanit is water-neutral, non-toxic and environmentally-friendly.


- » Splinter-free
- » Low risk of injury
- » Rot-free
- » Made without additives
- » Lighter than concrete
- » Simple processing – similar to wood
- » Maintenance-free



OGEE PALISADE

Solid or hollow profile

Colors



Ø 4 3/8", hollow profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
2' 3 3/8"	7.3	125	Gray B row n	HHG110060 HHB110060	→ 1000152 → 1000156
2' 7 1/2"	9.5	90	Gray B row n	HHG110080 HHB110080	→ 1000153 → 1000157
3' 3 3/8"	11.9	100	Gray B row n	HHG110100 HHB110100	→ 1000154 → 1000158

Ø 4 3/8", solid profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
3' 1 1/4"	21.8	70	Gray B row n	HG110120 HB110120	→ 1000062 → 1000015
5' 11"	32.8	70	Gray B row n	HG110180 HB110180	→ 1000065 → 1000018

Ø 5 1/8", hollow profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
2' 3 3/8"	8.8	72	Gray B row n	HHG130060 HHB130060	→ 1000160 → 1000164
2' 7 1/2"	11.7	54	Gray B row n	HHG130080 HHB130080	→ 1000161 → 1000165
3' 3 3/8"	14.6	54	Gray B row n	HHG130100 HHB130100	→ 1000162 → 1000166

Ø 5 1/8", solid profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
3' 1 1/4"	30.4	36	Gray B row n	HG130120 HB130120	→ 1000070 → 1000023
4' 11"	38.1	36	Gray B row n	HG130150 HB130150	→ 1000071 → 1000024
5' 11"	45.6	36	Gray B row n	HG130180 HB130180	→ 1000072 → 1000025

PRODUCT INFO

- » Bevelled top
- » Hollow versions available for selected palisades
- » Black available in Select sizes
- » Slope reinforcement
Note: Not all palisade sizes are suitable for ground retention. Contact HAHN for details.



HOLLOW PROFILE ADVANTAGES

The load capacity of the hollow palisades differs only slightly from solid palisades. Conversely, hollow profiles have several advantages:

- » Lower cost due to less material used
- » Lower weight = lower transport costs
- » Lower weight makes installation easier



Ø 6¼", hollow profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
23 5/8"	13.7	60	Gray Brown	HHG160060 HHB160060	→ 1000179 → 1000175
2' 7½"	18.1	42	Gray Brown	HHG160080 HHB160080	→ 1000180 → 1000176
3' 3 3/8"	22.5	42	Gray Brown	HHG160100 HHB160100	→ 1000181 → 1000177

Ø 6¼", solid profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
3' 11¼"	46.1	30	Gray Brown	HG160120 HB160120	→ 1000084 → 1000037
4' 11"	57.5	30	Gray Brown	HG160150 HB160150	→ 1000085 → 1000038
5' 11"	69.0	30	Gray Brown	HG160180 HB160180	→ 1000086 → 1000039

REQUIREMENT PER 3' 3"



Ø 4 3/8"

- » Slump (S): approx. 3 3/4"
- » Required quantity (B): approx. 10.5
- » Fillet angle: approx. 60°

Ø 6 1/4"

- » Slump (S): approx. 5 3/8"
- » Required quantity (B): approx. 7.5
- » Fillet angle: approx. 60°

Ø 5 1/8"

- » Slump (S): approx. 4 3/8"
- » Required quantity (B): approx. 9.0
- » Fillet angle: approx. 60°

Ø 7 3/4"

- » Slump (S): approx. 4 1/8"
- » Required quantity (B): approx. 6.5
- » Fillet angle: approx. 80°





Ø 7¾", hollow profile							
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD		Item No NEW	
23 5⁄8"	19.8	32	Gray Brown	HHG200060	→	1000146	
				HBB200060	→	1000135	
2' 7½"	26.2	24	Gray Brown	HHG200080	→	1000145	
				HBB200080	→	1000140	
3' 3 3⁄8"	33.3	24	Gray Brown	HHG200100	→	1000134	
				HBB200100	→	1000141	

Ø 7¾", solid profile							
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD		Item No NEW	
6' 7"	115.1	16	Gray Brown	HG200200	→	1000093	
				HB200200	→	1000046	




TIPS & TRICKS

Please refer to the installation recommendations and the corresponding data sheet. These can be found on our website www.hanit.ca and can be downloaded from the selected product page.

For vertical installations, approx. 1/3 of the palisade length should go into the ground. Bear this in mind when choosing palisade length for your project.

For horizontal ogee palisade installations, simply peg to the ground – making sure to pre-drill and countersink the palisade.








ROUND PALISADE

Solid or hollow profile



Colors



Ø 3 3/8", hollow profile						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
23 5/8"	6.4	66	Gray B row n	PHG100060 PHB100060	→ 1 100 237 → 1 100 219	
2' 7 1/2"	8.4	53	Gray B row n	PHG100080 PHB100080	→ 1 100 238 → 1 100 220	
3' 3 3/8"	10.4	53	Gray B row n	PHG100100 PHB100100	→ 1 100 239 → 1 100 221	

Ø 3 3/8", solid profile						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
4' 1"	20.1	33	Gray B row n	PG100125 PB100125	→ 1 100 099 → 1 100 043	
4' 11"	24.3	33	Gray B row n	PG100150 PB100150	→ 1 100 100 → 1 100 044	
5' 9"	28.2	33	Gray B row n	PG100175 PB100175	→ 1 100 101 → 1 100 045	
6' 7"	32.2	33	Gray B row n	PG100200 PB100200	→ 1 100 102 → 1 100 046	

PRODUCT INFO

- » Bevelled top
- » Hollow versions available for selected palisades
- » Slope reinforcement
Note: Not all palisade sizes are suitable for slope reinforcement. Contact HAHN for details.



Ø 4 3/4", hollow profile						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
23 5/8"	8.2	56	Gray B row n	PHG120060 PHB120060	→ 1 100 241 → 1 100 223	
2' 7 1/2"	10.8	43	Gray B row n	PHG120080 PHB120080	→ 1 100 242 → 1 100 224	
3' 3 3/8"	13.2	43	Gray B row n	PHG120100 PHB120100	→ 1 100 243 → 1 100 225	

Ø 4 3/4", solid profile						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
4' 1"	28.9	28	Gray B row n	PG120125 PB120125	→ 1 100 110 → 1 100 054	
4' 11"	34.8	28	Gray B row n	PG120150 PB120150	→ 1 100 111 → 1 100 055	
5' 9"	40.6	28	Gray B row n	PG120175 PB120175	→ 1 100 112 → 1 100 056	
6' 7"	46.3	28	Gray B row n	PG120200 PB120200	→ 1 100 113 → 1 100 057	
7' 4 1/2"	52.2	28	Gray B row n	PG120225 PB120225	→ 1 100 114 → 1 100 058	
8' 2"	58.0	28	Gray B row n	PG120250 PB120250	→ 1 100 115 → 1 100 059	
9' 2"	65.0	28	Gray B row n	PG120280 PB120280	→ 1 100 116 → 1 100 060	

HOLLOW PROFILE ADVANTAGES

The load capacity of the hollow palisades differs only slightly from solid palisades. Conversely, hollow profiles have several advantages:

- » Lower cost, due to less material used
- Lower weight = lower transport costs
- »
- » Lower weight makes installation easier

Ø 6", hollow profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
23 5/8"	12.8	60	Gray B row n	PHG150060 → PHB150060 →	1 100 245 1 100 227
2' 7 1/2"	16.8	48	Gray B row n	PHG150080 → PHB150080 →	1 100 246 1 100 228
3' 3 3/8"	20.9	48	Gray B row n	PHG150100 → PHB150100 →	1 100 213 1 100 229

Ø 6", solid profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
4' 1"	45.4	30	Gray B row n	PG150125 → PB150125 →	1 100 120 1 100 064
4' 11"	54.5	30	Gray B row n	PG150150 → PB150150 →	1 100 121 1 100 065
5' 9"	63.5	30	Gray B row n	PG150175 → PB150175 →	1 100 122 1 100 066
6' 7"	72.3	30	Gray B row n	PG150200 → PB150200 →	1 100 123 1 100 067

Ø 7 3/4", hollow profile					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
2' 7 1/2"	26.2	24	Gray B row n	PHG200080 → PHB200080 →	1 100 216 1 100 232
3' 3 3/8"	33.3	24	Gray B row n	PHG200100 → PHB200100 →	1 100 217 1 100 233

REQUIREMENT PER 3' 3"



Ø 4"

» Required quantity (B):
approx. 10.0

Ø 4 3/4"

» Required quantity (B):
approx. 8.3

Ø 6"

» Required quantity (B):
approx. 6.7

Ø 7 3/4"

» Required quantity (B):
approx. 5.0

TIPS & TRICKS

Please refer to the installation recommendations and the corresponding data sheet. These can be found on our website www.hanit.ca and can be downloaded from the selected product page.

Working with recycled plastic is very similar to working with wood. It can be cut, sawn, drilled or routed. For example, reflectors and warning signs can be simply screwed on. This means that hanit palisades can be easily adapted for a limitless variety of uses. Feel free to be creative!



hanit SNOW RAILS

Use 4 3/4" x 9' 2" round profiles

When attaching to the roof, use three hooks per profile (one in the center, two at each end). Place the first profile 9 3/4" in from the edge of the roof and leave a small gap between each profile.





RECTANGULAR PALISADE

Hollow profile

Colors



4 3/4" x 6 1/4"				○○○	
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
2' 3 5/8"	14.6	60	Gray	RGH120060	→ 1 20 0 018
			B row n	RBH120060	→ 1 20 0 0 01
			Black	RSH120060	→ 1 20 0 015
2' 7 1/2"	19.2	50	Gray	RGH120080	→ 1 20 0 019
			B row n	RBH120080	→ 1 200 022
			Black	RSH120080	→ 1 20 0 014
3' 3 3/8"	23.8	50	Gray	RGH120100	→ 1 20 0 020
			B row n	RBH120100	→ 1 20 0 02 3
			Black	RSH120100	→ 1 20 0 016



REQUIREMENT PER 3' 3"



4 3/4" x 6 1/4"
» Required quantity (B1):
approx. 6.3
» Required quantity (B2):
approx. 8.4

6 1/4" x 9 1/2"
» Required quantity (B1):
approx. 4.2
» Required quantity (B2):
approx. 6.3

6¼" x 9½"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
23 5⁄8"	28.7	40	Gray Brown	RG160060 RB160060	→ 1200002 → 1200007
2' 7½"	39.7	28	Gray Brown	RG160080 RB160080	→ 1200003 → 1200008
3' 3 3⁄8"	49.2	28	Gray Brown	RG160100 RB160100	→ 1200004 → 1200009
4' 1"	61.7	20	Gray Brown	RG160125 RB160125	→ 1200005 → 1200010
4' 11"	73.4	20	Gray Brown	RG160150 RB160150	→ 1200006 → 1200011

ADVANTAGES OF RECTANGULAR PALISADES

- » Ideal for a straight finish
- » Steps, light shafts and mowing edges installed easily

Please refer to the installation recommendations and the corresponding data sheet. These can be found on our website www.hanit.ca and downloaded from the selected product page.



TIPS & TRICKS

- » For vertical installations, approx. 1/3 of the palisade length should go into the ground. Bear this in mind when choosing palisade length for your project.
- » Slope reinforcement
Note: Not all palisade sizes are suitable for slope reinforcement. Contact HAHN for details.






BEAMS

Multiple uses

Colors



3 1/8" x 6 1/4"						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
4' 11"	39.5	28	Gray B row n	RG0816150 RB0816150	→ 2 100 118 → 2 100 124	
6' 7"	52.5	28	Gray B row n	RG0816200 RB0816200	→ 2 100 091 → 2 100 055	
8' 2"	65.7	28	Gray B row n	RG0816250 RB0816250	→ 2 100 101 → 2 100 125	
9' 10"	78.7	28	Gray B row n	RG0816300 RB0816300	→ 2 100 102 → 2 100 052	

3 1/8" x 9"						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
4' 11"	56.2	28	Gray B row n	RG0823150 RB0823150	→ 2 100 029 → 2 100 019	
6' 7"	75.4	28	Gray B row n	RG0823200 RB0823200	→ 2 100 030 → 2 100 020	
8' 2"	93.7	28	Gray B row n	RG0823250 RB0823250	→ 2 100 074 → 2 100 086	
9' 10"	112.4	28	Gray B row n	RG0823300 RB0823300	→ 2 100 090 → 2 100 071	

6 1/8" x 8 1/4"						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
7' 4 1/2"	150.1	20	Gray B row n	RGM1521225 RBM1521225	→ 2 100 038 → 2 100 028	

6 1/8" x 8 1/4", with rounded longitudinal edges						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
7' 4 1/2"	143.3	20	Gray B row n	RGA1521225 RBA1521225	→ 2 100 105 → 2 100 104	

6 1/4" x 9 1/2", with plastic reinforcement						○ ○
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
4' 11"	118.2	15	Gray B row n	RG1624150 A RB1624150 A	→ 2 100 301 → 2 100 300	
6' 7"	156.5	15	Gray B row n	RG1624200 A RB1624200 A	→ 2 100 320 → 2 100 299	
8' 2"	196.2	15	Gray B row n	RG1624250 A RB1624250 A	→ 2 100 321 → 2 100 075	
9' 10"	235.9	15	Gray B row n	RG1624300 A RB1624300 A	→ 2 100 322 → 2 100 298	



NOTE 6 1/4" X 9 1/2" BEAM

» Internal plastic reinforcement

- » Reduced voids
- » Better installation


6 1/4" x 9 1/2" beams are produced with an internal plastic reinforcement. This results in a higher density and provides improved screw connections.





GARDEN EDGING

Colors



Rolled Garden Edging 3/8" x 5 1/2"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
59' 1"	41.9	24	Black	RKS 07141 800	→ 2 200 010

Square post 1 5/8" x 1 5/8" (bundles of 8 profiles)					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
17 3/4"	12.3	72 72	Gray	VG040045-8	→ 3 200 083
23 3/8"	15.9		Gray	VG040060-8	→ 3 200 084



TIPS & TRICKS

For round, curved or even wavy designs, use our flexible Rolled Garden Edging.

We recommend using our 15/8" x 15/8" x 1'5" or 2' square posts for the installation of our hanit garden edging. For the rolled garden edging approx. 24 posts (spaced every 20.5") are required. For the straight garden edging, 4 posts (spaced every 19.5") are required.






SQUARE PROFILE

The utility profile

Colors



1 5/8" x 1 5/8"						○ ○ ●
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD		Item No NEW
6' 7"	6.6	308	Gray	RG040200	→	2 300 073
			B row n	RB040200	→	2 300 030
9' 10"	9.9	308	Gray	RG040300	→	⚡ 2 300 333
			B row n	RB040300	→	2 300 351

2 3/4" x 2 3/4"						○ ○ ●
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD		Item No NEW
6' 7"	20.1	64	Gray	RG070200	→	2 300 083
			B row n	RB070200	→	2 300 040
9' 10"	30.2	55	Gray	RG070300	→	2 300 352
			B row n	RB070300	→	2 300 353

3 1/2" x 3 1/2" (Dimensional 4" x 4")						○ ○ ●
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD		Item No NEW
6' 7"	33.3	48	Gray	RG090200	→	2 300 091
			B row n	RB090200	→	2 300 048
9' 10"	49.8	48	Gray	RG090300	→	⚡ 2 300 670
			B row n	RB090300	→	⚡ 2 300 021





4" x 4"							
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW		
6' 7"	41.0	77	Gray Brown	RG100200	→ 2 300 015		
				RB100200	→ 2 300 002		
9' 10"	61.5	55	Gray Brown	RG100300	→ ⚡ 2 300 161		
				RB100300	→ ⚡ 2 300 140		

TIPS & TRICKS

- The unique properties of hanit make it perfect for deck or patio sub-structures:
- » Can handle permanently wet or damp conditions
 - » Non-absorbent: no creeping damp or capillary effect
 - » Can be worked like wood using the same tools and techniques
 - » Sub-structures made from hanit can also be used with wood decking boards

⚡ Item typically in stock.

4¾" x 4¾"							
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW		
6' 7"	59.1	45	Gray Brown	RG120200	→ 2 300 017		
				RB120200	→ 2 300 004		
9' 10"	88.6	45	Gray Brown	RG120300	→ 2 300 298		
				RB120300	→ 2 300 301		


6" x 6"							
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW		
6' 7"	92.4	28	Gray Brown	RG150200	→ 2 300 105		
				RB150200	→ 2 300 062		
9' 10"	138.5	28	Gray Brown	RG150300	→ ⚡ 2 300 354		
				RB150300	→ ⚡ 2 300 355		



hanit ULTRA SQUARE PROFILE

The special profile

Colors



2" x 2"  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	14.3	190	Brown Black	INT 012 MBR INT 012 BLK	→ 2 300 389 → 2 300 390

2½" x 2½"  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 11"	17.6	150	Brown Black	INT 922 MBR INT 922 BLK	→ 2 300 391 → 2 300 400

3⅛" x 3⅛"  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	40.8	72	Brown Black	INT 038 MBR INT 038 BLK	→ 2 300 403 → 2 300 404

3⅛" x 3⅛" with Pyramid Top  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
4' 4½"	15.9	100	Black	INT 031 BLK	→ 2 300 884

3½" x 3½" (Dimensional 4" x 4")  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8'	37.5	54	Brown Black	INT 309 MBR INT 309 BLK	→ 2 300 732 → 2 300 733
10'	46.3	54	Brown Black	INT 310 MBR INT 310 BLK	→ 2 300 734 → 2 300 735

4" x 4"  					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
4' 11"	31.5	50	Brown Black	INT 917 MBR INT 917 BLK	→ 2 300 409 → 2 300 410
5' 9"	36.6	50	Brown Black	INT 918 MBR INT 918 BLK	→ 2 300 407 → 2 300 408
9' 10"	62.8	50	Brown Black	INT 036 MBR INT 036 BLK	→ 2 300 405 → 2 300 406

THIS APPLIES TO ALL hanit ULTRA PRODUCTS

» Specially formulated for a smoother look and wider spans





FOUNDATION PAD

With and without holes

Colors



Thickness: ¾", with holes							○
Width ft/in	Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
15¾"	15¾"	6.6	188	Gray	PMG04004002	→ 2 4 0 0 038	

Thickness: 1 1/8", with holes							○
Width ft/in	Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
15¾"	15¾"	9.9	188	Gray	PMG04004003	→ ⚡ 2 4 0 0 005	

Thickness: 2", with holes							○
Width ft/in	Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
15¾"	15¾"	16.5	138 100	Gray	PMG04004005	→ ⚡ 2 4 0 0 010	
195/8"	195/8"	25.6		Gray	PMG05005005	→ ⚡ 2 4 0 0 050	

Thickness: 2¾", without holes							○
Width ft/in	Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW	
235/8"	235/8"	50.7	60	Gray	PMG06006007	→ ⚡ 2 4 0 0 029	

⚡ Item typically in stock.






AMPHIBIAN GUARD / BANK REINFORCEMENT

Multi-purpose protection

Colors



Thickness: 1" / 3/4"

Width ft/in	Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
23 5/8"	6' 3 1/2"	72.8	16	Gray Brown	POG 192060 025 → POB 190060 025 →	2 4 0 0 0 2 1 2 4 0 0 0 2 6
2' 7 1/2"	6' 3 1/2"	97.0	16	Gray Brown	POG 192080 025 → POB 192080 025 →	2 4 0 0 0 1 9 2 4 0 0 0 2 0

NOTE

Please refer to the installation recommendations and the corresponding data sheet. These can be found on our website www.hanit.ca and downloaded from the selected product page.



BURROWING BARRIER

With recesses

Colors



Thickness: 1"

Length ft/in	Height ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	15 3/4"	40.8	50 50	Gray	UGS 2540 200 →	2 4 0 0 0 4 2
6' 7"	19 5/8"	49.6		Gray	UGS 2550 200 →	2 4 0 0 0 2 8

PRODUCT INFO

- » Prevents burrowing animals
- » Upper holes for attaching to chain link fence
- » Lower holes for drainage






BOARD PROFILE

Standard

Colors



3/4" x 2 3/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
4' 11"	3.7	260	Gray Brown	BG 2006 150	→ 2 500 050
				BB 2006 150	→ 2 500 010

3/4" x 3 7/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	8.2	160	Gray Brown	BG 2010 200	→ 2 500 053
				BB 2010 200	→ 2 500 013
9' 2"	11.5	160	Gray Brown	BG 2010 280	→ 2 500 054
				BB 2010 280	→ 2 500 014

3/4" x 8 1/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 11"	16.3	120	Gray	BG 2020 200	→ 2 500 073

1" x 2"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	7.7	300	Gray Brown	BG 2505 300	→ 2 500 266
				BB 2505 300	→ 2 500 267

1" x 43/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	12.1	126	Gray Brown	BG 2512 200	→ 2 500 060
				BB 2512 200	→ 2 500 020
9' 2"	17.4	126	Gray Brown	BG 2512 280	→ 2 500 061
				BB 2512 280	→ 2 500 021

1 1/8" x 2 3/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	7.3	260	Gray Brown	BG 3006 200	→ 2 500 316
				BB 3006 200	→ 2 500 314
9' 2"	10.4	260	Gray Brown	BG 3006 280	→ 2 500 262
				BB 3006 280	→ 2 500 004

1 1/8" x 3 7/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	12.3	160	Gray Brown	BG 3010 200	→ 2 500 096
				BB 3010 200	→ 2 500 105
9' 2"	17.2	160	Gray Brown	BG 3010 280	→ 2 500 108
				BB 3010 280	→ 2 500 095



⚡ Item typically in stock.

APPLIES TO ALL BOARD PROFILES

With hanit products, dimensions (up to 3%) and color can vary.

Take the temperature related length fluctuations during installation (up to +/- 1.5%) into account and enquire about the maximum span.

1 1/8" x 7 7/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	36.8	60	Gray	BG 3020 300	→ 2 500 727

1 3/8" x 4 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	17.2	120	Gray B row n	BG 3512 200 BB 3512 200	→ 2 500 072 → 2 500 030
9' 2"	24.0	120	Gray B row n	BG 3512 280 BB 3512 280	→ 2 500 073 → 2 500 031

1 3/8" x 5 3/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	19.8	120	Gray B row n	BG 3513 200 BB 3513 200	→ 2 500 106 → 2 500 116
9' 2"	27.8	120	Gray B row n	BG 3513 280 BB 3513 280	→ ⚡ 2 500 097 → ⚡ 2 500 114

1 5/8" x 3 1/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	13.2	126	Gray B row n	BG 4080 200 BB 4080 200	→ 2 500 121 → 2 500 243
9' 2"	18.5	126	Gray B row n	BG 4080 280 BB 4080 280	→ ⚡ 2 500 002 → 2 500 003

1 3/4" x 4 1/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	19.6	120	Gray B row n	BG 4510 200 BB 4510 200	→ 2 500 247 → 2 500 246
9' 2"	27.3	120	Gray B row n	BG 4510 280 BB 4510 280	→ ⚡ 2 500 178 → 2 500 179

2" x 4 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	24.5	90	Gray B row n	BG 5012 200 BB 5012 200	→ 2 500 251 → 2 500 249
9' 2"	34.4	90	Gray B row n	BG 5012 280 BB 5012 280	→ ⚡ 2 500 173 → 2 500 172

2" x 8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	61.5	40	Gray	BG 5020 300	→ 2 520 208

2 3/8" x 4 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	29.5	90	Gray B row n	BG 6012 200 BB 0612 200	→ 2 500 174 → 2 500 163
9' 2"	41.4	90	Gray B row n	BG 6012 280 BB 6012 280	→ 2 500 159 → 2 500 160




⚡ Item typically in stock.



hanit ULTRA BOARD PROFILE

Premium quality, through
and through

Colors



¾" x 5½", dimensional 1" x 6"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	13.2	150	B row n	INT 304 MBR	→ 2 501 164
			Black	INT 304 BLK	→ 2 501 163

1" x 3"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	13.2	195	B row n	INT 751 MBR	→ 2 501 235
			Black	INT 751 BLK	→ 2 501 207

1" x 4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	16.4	150	B row n	INT 932 MBR	→ 2 500 998
			Black	INT 932 BLK	→ 2 500 469

1" x 6"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	23.6	90	B row n	INT 029 MBR	→ 2 500 591
			Black	INT 029 BLK	→ 2 500 592

1 1/8" x 6"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	24.3	90	B row n	INT 914 MBR	→ 2 501 166
			Black	INT 914 BLK	→ 2 501 165

1 3/8" x 4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
11' 10"	26.2	80	B row n	INT 060 MBR	→ 2 500 594
			Black	INT 060 BLK	→ 2 500 596

1½" x 3½", dimensional 2" x 4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	18.5	150	B row n	INT 923 MBR	→ 2 500 597
			Black	INT 923 BLK	→ 2 500 598
11' 10"	27.8	100	B row n	INT 944 MBR	→ 2 501 048
			Black	INT 944 BLK	→ 2 501 049

1½" x 5½", dimensional 2" x 6"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8'	26.4	75	B row n	INT 308 MBR	→ 2 501 056
			Black	INT 308 BLK	→ 2 501 055

2" x 3"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	17.6	130	B row n	INT 913 MBR	→ 2 500 599
			Black	INT 913 BLK	→ 2 500 600

2" x 4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	31.5	60	B row n	INT 003 MBR	→ 2 500 601
			Black	INT 003 BLK	→ 2 500 602
11' 10"	37.9	60	B row n	INT 953 MBR	→ 2 501 167
			Black	INT 953 BLK	→ 2 501 168

2" x 5"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	39.2	56	B row n	INT 005 MBR	→ 2 500 603
			Black	INT 005 BLK	→ 2 500 604

2" x 6"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	47.2	60	B row n	INT 007 MBR	→ 2 500 606
			Black	INT 007 BLK	→ 2 500 608

2 3/8" x 4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
9' 10"	31.1	60	B row n	INT 006 MBR	→ 2 500 609
			Black	INT 006 BLK	→ 2 500 610

THIS APPLIES TO ALL HANIT ULTRA PRODUCTS


» Specially formulated for a smoother look and wider spans



BOARD PROFILE

Tongue and groove

Colors



1 1/8" x 5"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
4' 7"	10.8	120	Gray Brown	NG 3012 140 NB 3012 140	→ 2 6 0 0 0 2 7 → 2 6 0 0 0 3 2
6' 7"	15.4	120	Gray Brown	NG 3012 200 NB 3012 200	→ 2 6 0 0 0 2 8 → 2 6 0 0 0 3 3
9' 2"	21.6	120	Gray Brown	NG 3012 280 NB 3012 280	→ 2 6 0 0 0 2 9 → 2 6 0 0 0 3 4

1 3/8" x 5 3/8"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
10'	29.1	90	Gray	NG 3414 300	→ 2 6 0 1 0 7 4

1 3/4" x 7 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	44.1	60	Gray Brown	UG 4220 250 UB 4220 250	→ 2 6 0 0 2 1 5 → 2 6 0 0 2 1 6


1 3/4" x 4 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
6' 7"	22.0	90	Gray Brown	NG 4512 200 NB 4512 200	→ 2 6 0 0 0 2 2 → 2 6 0 0 0 1 2
9' 2"	30.9	90	Gray Brown	NG 4512 280 NB 4512 280	→ 2 6 0 0 0 2 5 → 2 6 0 0 0 2 6



BOARD PROFILE

Reinforced tongue and groove

Colors



1 5/8" x 7 3/4"					
Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	49.6	60	Gray Brown	AG 4220 250 AB 4220 250	→ 2 6 0 0 0 4 8 → 2 6 0 0 0 4 7

APPLIES TO ALL BOARD PROFILES

With hanit products, dimensions (up to 3%) and color can vary.


Take the temperature related length fluctuations during installation (up to +/- 1.5%) into account and enquire about the maximum span.



hanit ULTRA BOARD PROFILE

Tongue and groove

Colors



1 1/8" x 53/8"

Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
12'	27.4	98	B row n	INT 951 MBR →	⚡ 2 501 170
			Black	INT 951 BLK →	⚡ 2 501 169

1 3/8" x 53/8"

Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 6"	26.2	77	B row n	INT 035 MBR →	⚡ 2 500 611
			Black	INT 035 BLK →	⚡ 2 500 612
10'	30.7	77	B row n	INT 938 MBR →	⚡ 2 500 443
			Black	INT 938 BLK →	⚡ 2 500 444

APPLIES TO ALL BOARD PROFILES

With hanit products, dimensions (up to 3%) and color can vary.

Take the temperature related fluctuations (up to +/-1.5%) into consideration during installation. Please enquire about maximum spans.


⚡ Item typically in stock.



BOARD PROFILE

Standard, reinforced

Colors



1 5/8" x 4 3/4"

Length ft/in	Weight lbs	Qty/Pal pcs.	Color	Item No OLD	Item No NEW
8' 2"	31.3	63	Gray	BGE 4212 250 →	2 500 640
			B row n	BBE 4212 250 →	2 500 798

End cap including screws

Dimensions W x D x H: ft/in	Weight lbs	Color	Item No OLD	Item No NEW
15/8" x 3/4" x 4 3/4"	0.1	Gray	AKG 422 120 →	2 501 116
		B row n	AKB 422 120 →	2 501 118

NOTE

- » For superior strength, profiles are reinforced with rectangular galvanized steel pipe
- » Can span lengths of up to 8' 2"
- » Reinforced profiles have built-in expansion chambers (with lamellar plugs)
- » Ideal for permanent fences
- » Rounded edges – no risk of injury. When cutting boards, we recommend end caps for the cut edges



WARRANTY FOR hanit RECYCLED PLASTIC PRODUCTS

1. WARRANTY AND DURATION Subject to any additional terms, conditions or exclusions contained in the applicable version of HAHN Plastics (North America) Ltd.'s General Terms and Conditions of Business ("GT&Cs"), HAHN Plastics (North America) Ltd.'s ("HAHN") warrants that on delivery, and for a period of 20 years from the date of delivery of the product (the "Warranty Period"), the hanit recycled plastic products shall be delivered free of material defects in design, material and workmanship.

The color of any hanit recycled plastic products and any changes thereto over time is not a part of this warranty. HAHN expressly disclaims any warranty or liability in respect of variations or changes of color to any hanit recycled plastic products delivered to the customer.

2. MATERIAL PROPERTIES OF hanit RECYCLED PLASTIC PRODUCTS

hanit recycled plastic products may show variations in color and dimensions (with a fluctuation of up to +/- 1.5%). hanit recycled plastic products may vary in surface finish and show production-related textured surfaces, inclusions, and cavities. Due to this, the given weight, dimensions, color and surface finish are approximate only and do not form part of this warranty. For further details, see the applicable version of the GT&Cs.

3. WARRANTY CONDITIONS

Subject always to any further conditions contained in the applicable version of GT&Cs and any exclusions, HAHN shall at its option replace and/or repair and/or refund hanit recycled plastic products after a thorough inspection should our goods be found to be defective during the Warranty Period in spite of proper installation,

application and use. Installation and application of hanit recycled plastic products according to assembly and installation instructions are a prerequisite for warranty adjustments.

Costs, reimbursements of transport installation, re-installation, consequential damage, disassembly, or other costs are excluded from this warranty and the customer shall be solely responsible for the costs of same.

4. WARRANTY HANDLING

For correct and speedy processing in case of a warranty claim, please contact HAHN in writing during the Warranty Period and include the following documentation:

- » a copy of the invoice
- » a detailed description of the defect
- » photos and/or a sample of the faulty hanit recycled plastic products

For more information on how a warranty claim will be processed, see the applicable version of the GT&Cs.

5. EXCLUSION OF WARRANTY In addition to any exclusions or restrictions which are set out in the applicable version of the GT&Cs, the following items do not constitute warranty claims:

- a) defects that can be ascribed to normal wear and tear
- b) defects such as discoloration and expansion caused by weather and climatic conditions
- c) defects caused by actions of the customer

or third parties (improper use and assembly, modification of the product, use of parts from other suppliers, inappropriate transport, packaging, and storage)

- d) damage and/or destruction intentional or unintentional) caused by the actions of the customer or third parties

6. PRODUCTS NOT BENEFITTING FROM 20 YEAR WARRANTY

In addition to any other excluded hanit recycled plastic products set out in the applicable version of the GT&Cs, the following hanit recycled plastic products do not benefit from the 20 year warranty set out herein:

- a) second quality and remaining stock sales (warranty for these hanit recycled plastic products is restricted to 12 months from the date of delivery)
- b) custom-made hanit recycled plastic products, industrial profiles, finished parts and systems (warranty for these hanit recycled plastic products is restricted to 12 months from the date of delivery)
- c) goods not manufactured by companies of the HAHN Group
- d) reinforced posts, warranty for this product is restricted to 5 years from the date of delivery

7. PLACE OF JURISDICTION

The place of jurisdiction and governing law of this warranty shall be as set out in the applicable version of the GT&Cs.



Office: 1 (778) 785-0255
Text: 1 (236) 515-1580
www.prosolver.ca/abouthanit